



education

fundisa.net

Department:
Education
PROVINCE OF KWAZULU-NATAL

**NATIONAL
SENIOR CERTIFICATE**

GRADE 11

MATHEMATICS

COMMON TEST

MARCH 2020

MARKS: 75

TIME: 1½ hours

This question paper consists of 5 pages and 2 Diagram Sheets.

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

1. This question paper consists of 5 questions.
2. Answer ALL the questions.
3. Number the answers correctly according to the numbering system used in this question paper.
4. Clearly show ALL calculations, diagrams, graphs, etc. which you have used in determining your answers.
5. Answers only will NOT necessarily be awarded full marks.
6. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
7. If necessary, round off answers correct to TWO decimal places, unless stated otherwise.
8. Diagrams are NOT necessarily drawn to scale.
9. TWO DIAGRAM SHEETS for QUESTION 4.1, QUESTION 4.2, QUESTION 5.1 and QUESTION 5.2 are attached at the end of this question paper. Detach the DIAGRAM SHEETS and hand in together with your ANSWER BOOK.
10. Write neatly and legibly.

QUESTION 11.1 Solve for x :

$$1.1.1 \quad 2x\left(x - \frac{1}{2}\right) = 0 \quad (2)$$

$$1.1.2 \quad 4x^2 + 11x = 2 \quad (\text{answer correct to TWO decimal places}) \quad (4)$$

$$1.1.3 \quad x - \sqrt{8 - 2x} = 0 \quad (5)$$

$$1.1.4 \quad x(x - 7) + 12 < 0 \quad (4)$$

1.2 Solve simultaneously for x and y :

$$x = 3y - 5 \quad \text{and} \quad (2x - y - 2)(x + y) = 0 \quad (4)$$

[19]

QUESTION 2

2.1 Simplify WITHOUT the use of a calculator: $\sqrt{18} + 2\sqrt{2} + \frac{1}{\sqrt{2}}$
Write your answer with a rational denominator. (3)

2.2 Solve for x without the use of a calculator:

$$2.2.1 \quad \sqrt[3]{16} = 128 \quad (4)$$

$$2.2.2 \quad \frac{3^{2x+1} - 3^{2x-1}}{3^x} = 24 \quad (4)$$

[11]

QUESTION 3

3.1 If $\cos \theta = -\frac{2}{5}$ and $\theta \in [180^\circ; 360^\circ]$, determine the value of $\tan \theta$ by using a diagram, and **without the use of a calculator**. (3)

3.2 Evaluate, **without using of a calculator**: $\frac{\cos 115^\circ \cdot \cos 214^\circ}{\cos 65^\circ \cdot \sin 236^\circ}$ (5)

3.3 Simplify to a single term, without the use of a calculator:


$$\cos(90^\circ + x) \cdot \tan(540^\circ + x) \cdot \cos(180^\circ - x) + \sin(-90^\circ) \quad (7)$$

[15]

GIVE REASONS FOR YOUR STATEMENTS AND CALCULATIONS IN QUESTIONS 4 AND 5.

QUESTION 4


- 4.1 In the diagram, AB is a chord of the circle having centre O. C is a point on AB such that $\hat{ACO} = 90^\circ$. $OC = 5 \text{ cm}$ and $AO = 10 \text{ cm}$.



Calculate, with reasons, the length of AB.

(4)

- 4.2 In the diagram, O is the centre of the larger circle, which passes through P, R and S. R is a point on chord PV of the smaller circle PVS. SV is produced to T. $\hat{RVT} = 96^\circ$.



- 4.2.1 Calculate, with reasons, the size of \hat{R}_2 .

(7)


- 4.2.2 Prove that $\triangle RVS$ is isosceles.

(3)

[14]


QUESTION 5

- 5.1 In the figure below, JLH is a tangent to the circle having centre O at L . K and M are points on the circle.



Prove the theorem which states that $\hat{MLH} = \hat{K}$. (5)

- 5.2 AE is a diameter of the circle in the diagram below. AE is produced to D . DB is a tangent to the circle at B . DC is perpendicular to AD . CBA is a straight line. BE and EC are drawn. Let $\hat{A} = x$.



- 5.2.1 Prove that $BCDE$ is a cyclic quadrilateral. (3)
- 5.2.2 Prove that $\hat{C}_1 = x$. (4)
- 5.2.3 Prove that $\hat{E}_1 = \hat{E}_3$. (2)
- 5.2.4 Is CE a tangent to the circle through A , B and E ? Give a reason for your answer. (2)


[16]

TOTAL: 75


NAME & SURNAME:

DIAGRAM SHEET 1

QUESTION 4.1



QUESTION 4.2




TEAR OFF

NAME & SURNAME:

DIAGRAM SHEET 2

QUESTION 5.1



QUESTION 5.2

