



**GAUTENG DEPARTMENT OF EDUCATION  
PROVINCIAL EXAMINATION  
JUNE 2017  
GRADE 10**

**MATHEMATICS  
PAPER 2**

**MEMORANDUM**

**6 pages**



GAUTENG DEPARTMENT OF EDUCATION  
PROVINCIAL EXAMINATIONMATHEMATICS  
(Paper 2)

## MEMORANDUM


| QUESTION 1 |       |   |   |
|------------|-------|---|---|
| 1.1        |       | $OP^2 = (4)^2 + (3)^2 \dots\dots \text{Pythagoras}$<br>$OP^2 = 25$<br>$OP = 5$  | $\checkmark OP^2 = (4)^2 + (3)^2$<br>$\checkmark OP^2 = 25$<br>$\checkmark OP = 5$<br><br>(3) |
| 1.2        | 1.2.1 | $\sin \theta$<br>$= \frac{3}{5}$  | $\checkmark$ answer<br><br>(1)  |
|            | 1.2.2 | $\cot \theta$<br>$= \frac{4}{3}$  | $\checkmark$ answer<br><br>(1)  |
|            | 1.2.3 | $\sin^2 \theta + \cos^2 \theta$<br>$= \left(\frac{3}{5}\right)^2 + \left(\frac{4}{5}\right)^2$<br>$= \frac{9}{25} + \frac{16}{25}$<br>$= 1$ | $\checkmark \frac{4}{5}$<br>$\checkmark$ answer<br><br>(2)                                    |
|            |       |   | [7]   |

| QUESTION 2  |       |  |  |
|---|-------|--|--|
| <b>PENALISE JUST ONCE FOR INCORRECT ROUNDING-OFF.</b> |       |  |  |
| 2.1   | 2.1.1 | $3\sin 138,7^\circ$<br>$=1,980$  | ✓ answer<br>(1)  |
|   | 2.1.2 | $\sec 50^\circ$<br>$=1,556$  | ✓ answer<br>(1)  |
|   | 2.1.3 | $\frac{4 \tan^2 288,2^\circ \cdot \cos 164,6^\circ}{\sin 199,4^\circ}$<br>$=107,402$   | ✓✓ answer<br>(2)   |
| 2.2   | 2.2.1 | $\cos 30^\circ + \tan 60^\circ$<br>$=\frac{\sqrt{3}}{2} + \sqrt{3}$<br>$=\frac{\sqrt{3} + 2\sqrt{3}}{2}$<br>$=\frac{3\sqrt{3}}{2}$   | ✓ $\frac{\sqrt{3}}{2}$<br>✓ $\sqrt{3}$<br>✓ answer<br>(3)  |
|   | 2.2.2 | $\frac{\sin 45^\circ}{\cos 45^\circ} - 5 \operatorname{cosec} 90^\circ + 3 \tan^2 30^\circ$<br>$=\frac{\sqrt{2}}{\sqrt{2}} - 5(1) + 3\left(\frac{1}{\sqrt{3}}\right)^2$<br>$=1 - 5 + 3\left(\frac{1}{3}\right)$<br>$=-3$ | ✓ $\frac{\sin 45^\circ}{\cos 45^\circ} = 1$<br>✓ $\operatorname{cosec} 90^\circ = 1$<br>✓ $\tan 30^\circ = \frac{1}{\sqrt{3}}$<br>✓ $\frac{1}{3}$<br>✓ answer<br>(5) |
|   |       |  | <b>[12]</b>  |

| QUESTION 3 |  |  |   |
|------------|--|--|---|
| 3.1        | $\tan \theta = 4,96$<br>$\theta = 78,60^\circ$   |  | ✓ answer<br>(1)   |
| 3.2        | $2 \sin(2\theta - 10^\circ) = 1$<br>$\sin(2\theta - 10^\circ) = \frac{1}{2}$<br>$(2\theta - 10^\circ) = 30^\circ$<br>$2\theta = 40^\circ$<br>$\theta = 20^\circ$ |  | ✓ divide by 2<br>✓ $30^\circ$<br>✓ answer<br>(3)  |
|            |  |  | <b>[4]</b>  |
| QUESTION 4 |  |  |   |
| 4.1        |  |  | $f(x) = 2 \tan x$<br>✓ shape<br>✓ asymptote<br>✓ $(45^\circ; 2)$<br>$g(x) = \cos x + 1$<br>✓ shape<br>✓ x -intercept<br>✓ y -intercept<br>(6) |
| 4.2        | 4.2.1  | 1  | ✓ answer<br>(1)   |
|            | 4.2.2  | $180^\circ$                                      | ✓ answer<br>(1)   |
|            | 4.2.3  | $y \in [0; 2]$<br><b>OR</b><br>$0 \leq y \leq 2$ | ✓ critical values<br>✓ correct brackets/<br>inequality<br>(2)   |
|            |  |  | <b>[10]</b>   |

| QUESTION 5 |   |  |
|------------|---|--|
| 5.1        | Both pairs of opposite sides are parallel.<br>All sides are equal.<br>Diagonals bisect the angles.<br>Diagonals bisect at right angles.<br>Both pairs of opposite angles are equal.                                       | ✓✓ any two answers<br>(2)  |
| 5.2        |   |  |
|            | $\hat{A} = \hat{C}$<br>$x + 20^\circ = 2x - 60^\circ$<br>$x = 80^\circ$<br>$\hat{C} = 100^\circ$  | Opp angles of $//^m$<br><br>✓ statement<br><br>✓ answer<br><br>(2)   |
| <b>[4]</b> |   |  |
| QUESTION 6 |   |  |
| 6.1        |    |  |
|            | Construct diagonal AC<br>In $\triangle ADC$ and $\triangle ABC$<br>$AC = AC$<br>$\hat{A}_1 = \hat{C}_1$<br>$\hat{A}_2 = \hat{C}_2$<br>$\triangle ADC \cong \triangle ABC$<br>$\therefore AB = DC$<br>$\therefore AD = BC$ | Common<br>Alternate angles $AB // DC$<br>Alternate angles $AD // BC$<br>$s \ll$<br>$\triangle ADC \cong \triangle ABC$<br>$\triangle ADC \cong \triangle ABC$<br><br>✓ construction<br><br>✓ alternate angles $AB // DC$<br>$AB // CD$<br>✓ alternate angles $AD // BC$<br>$AD // BC$<br>✓ $\triangle ADC \cong \triangle ABC$<br>✓ $AB = DC$ AND $AD = BC$<br><br>(5) |

6.2



6.2.1

$$\hat{F}_1 = \hat{E}_2$$

$$\hat{F}_1 + \hat{F}_2 = \hat{E}_1 + \hat{E}_2 = 180^\circ$$

$$\therefore \hat{F}_2 = \hat{E}_2$$

Alternate angles AF//EC

Angles on straight line

✓ statement and reason  
 ✓ statement and reason  
 ✓  $\therefore \hat{F}_2 = \hat{E}_2$

(3)

6.2.2

In  $\triangle AFD$  and  $\triangle BEC$   
 $AF = EC$   
 $\hat{D}_1 = \hat{B}_2$   
 $\hat{F}_2 = \hat{E}_1$   
 $\therefore \triangle AFD \cong \triangle BEC$   
 $AD = BC$   
 $AB \parallel BC$   
 $ABCD$  is a parallelogram

Opposite sides  $//^m$ 

Alternate angles AD//BC

proved

s&lt;&lt;

 $\triangle AFD \cong \triangle BEC$ 

One pair of opp sides =//

✓ identify correct  $\triangle$   
 ✓  $AF = EC$

✓  $\therefore \triangle AFD \cong \triangle BEC$ ✓  $AD = BC$ 

✓ reason

(5)

[13]

TOTAL: 50