



NATIONAL SENIOR CERTIFICATE

GRADE 12

PHYSICAL SCIENCES: PHYSICS (P1)

ERRATA SEPTEMBER 2023

MARKING GUIDLINES



These Errata marking guidelines consist of 6 pages.

QUESTION 1

1.10 **Accept:** letter **S**

QUESTION 2

2.1.1 The force that oppose the motion✓ of a moving object relative to the surface.✓ (2)

2.1.2 Marks allocation:

$$\left. \begin{array}{l} F_{\text{net}} = ma \\ mgsin\theta - \mu_k \cdot mgcos\theta = ma \end{array} \right\} \text{Any one} \checkmark$$

$$(2)(9,8)(\sin 30^\circ) \checkmark - (0,20)(2)(9,8)(\cos 30^\circ) \checkmark = (2) \cdot a \checkmark$$

$$\therefore a = 3,20259 \text{ m} \cdot \text{s}^{-2} \text{ (3,20 m} \cdot \text{s}^{-2} \text{) downhill} \checkmark$$

(2)

2.2

<u>OPTION 1:</u>	<u>OPTION 2:</u>
<p>Mark awarded for:</p> $F_{g(\text{inner walls})} = \frac{Gm_1m_2}{(7)^2}$	<p>Factor (n) = $\frac{35 \text{ m}}{7 \text{ m}} \checkmark$ = 5</p> $F_{g(\text{inner walls})} = \frac{Gm_1m_2}{(r)^2} \checkmark$ $F_{g(\text{inner walls})} = \frac{Gm_1m_2}{\left(\frac{1}{5}r\right)^2} \checkmark$ $F_{g(\text{inner walls})} = \frac{Gm_1m_2}{\frac{1}{25}r^2} \checkmark$ $= 25 \left(\frac{Gm_1m_2}{(r)^2} \right)$

(4)



QUESTION 3

3.1 **Accept:** An object upon which the only force acting is the gravitational force.

3.2.1

OPTION 2:	OPTION 3:
$\Delta y = \left(\frac{v_f + v_i}{2} \right) \Delta t$ $(50) = \left(\frac{31,36877 + 2}{2} \right) \Delta t$ $\therefore \Delta t = 2,997 \text{ s or } \Delta t = (3,00 \text{ s})$	<p>Marks allocation:</p> $\Delta y = v_i \Delta t + \frac{1}{2} a (\Delta t)^2 \checkmark$ $50 \checkmark = (2) \Delta t + \frac{1}{2} (9,8) \Delta t^2 \checkmark$ $\therefore t = 2,997 \text{ s} \checkmark (3,00 \text{ s})$

3.2.2 **POSITIVE MARKING FROM 3.2.1**

$$\Delta t = 2,997 - 1 = 1,997 \text{ s} \checkmark$$

$$\Delta t = 3,00 - 1 = 2,00 \text{ s} \checkmark$$

3.2.3 **POSITIVE MARKING FROM 3.2.2 FOR:**

$$\Delta t = 2,00 \text{ s}$$

$$\Delta y = v_i \Delta t + \frac{1}{2} a (\Delta t)^2$$

$$50 = v_i (2) + \frac{1}{2} (9,8) (2)^2$$

$$\therefore v_i = 15,20 \text{ m} \cdot \text{s}^{-1}$$



QUESTION 4

4.3.1

Marks allocation:



OPTION 1	OPTION 2:
$F_{\text{net}} = m\bar{a}$ $-f_k = ma$ $-\mu_k N = ma$ $-(0,20)(0,005 + 3) \checkmark (9,8) = (0,005+3)a \checkmark$ $\therefore a = -1,96 \text{ m}\cdot\text{s}^{-2}$ $v_f^2 = v_i^2 + 2a\Delta x \checkmark$ $(0)^2 = v_i^2 + 2(-1,96)(0,25) \checkmark$ $V_i = 0,98995 \text{ m}\cdot\text{s}^{-1} (0,99 \text{ m}\cdot\text{s}^{-1}) \checkmark$	$f_k = \mu_k N$ $= \mu_k mg$ $(0,2)(0,005 + 3) \checkmark (9,8)$ $F_k = 5,8898 \text{ N, westwards}$ $W_{\text{net}} = \Delta E_k \checkmark$ $f_k \Delta x \cos \theta = \frac{1}{2} m (v_f^2 - v_i^2)$ $(5,8898)(0,25) \checkmark \cos 180^\circ = \frac{1}{2} (3,00) (0^2 - v_i^2) \checkmark$ $V_i = 0,99 \text{ m}\cdot\text{s}^{-1}, \text{ eastwards} \checkmark$

(6)

4.3.2

POSITIVE MARKING FROM 4.3.1

Marks allocation:

$$\begin{aligned} \Sigma p_i &= \Sigma p_f \\ m_b v_{b_i} + m_B v_{B_i} &= (m_b + m_B) v_f \quad \text{Any one} \checkmark \\ (0,005)v_{b_i} + (3)(0) &= (0,005+3)(0,98995) \checkmark \\ v_{b_i} &= 594,96 \text{ m}\cdot\text{s}^{-1} \text{ Eastwards. } \checkmark \end{aligned}$$

(4)

QUESTION 5

5.2

OPTION 1 and 2:

Consider $m = 120 \text{ kg}$:

$$\begin{aligned} w &= F \Delta y \cos \theta \\ w_w &= mg \Delta y \cos \theta \quad \text{Any one} \checkmark \\ &= (120)(98) \cos 180^\circ \checkmark \\ &= -7996,80 \text{ J} \checkmark \end{aligned}$$



5.3

POSITIVE MARKING FROM 5.2		
OPTION 2:	OPTION 3:	OPTION 4:
<p>Consider mass = 120 kg:</p> <p>$W_{\text{net}} = \Delta E_k \checkmark$</p> <p>$W_{\text{motor}} + 6664 - (8330) = 0$</p> <p>$W_{\text{motor}} = 1332,80 \text{ J}$</p> <p>$P = \frac{W}{\Delta t}$</p> <p>$P = \frac{1332,80}{0,01}$</p> <p>$= 133280 \text{ W}$</p>	<p>(m = 120 kg)</p> <p>$F_{\text{net}} = ma = 0$</p> <p>$W_{\text{motor}} + F_{\text{mp}} + (-F_{\text{load}}) = 0 \checkmark$</p> <p>$W_{\text{motor}} + (125)(9,8) \checkmark - (100)(9,8) \checkmark = 0$</p> <p>$F_{\text{motor}} = 245 \text{ N}$</p> <p>$v_{\text{ave}} = \frac{\Delta x}{\Delta t}$</p> <p>$= \frac{6,8}{0,01} \checkmark$</p> <p>$= 680 \text{ m} \cdot \text{s}^{-1}$</p> <p>$P_{\text{ave}} = Fv_{\text{ave}}$</p> <p>$= (245)(680)$</p> <p>$= 166600 \text{ W} \checkmark$</p>	<p>$F_{\text{net}} = ma = 0$</p> <p>$W_{\text{motor}} + (120)(9,8) - (100)(9,8) = 0$</p> <p>$F_{\text{motor}} = 196 \text{ N}$</p> <p>$v_{\text{ave}} = \frac{\Delta x}{\Delta t}$</p> <p>$= \frac{6,8}{0,01}$</p> <p>$= 680 \text{ m} \cdot \text{s}^{-1}$</p> <p>$P_{\text{ave}} = Fv_{\text{ave}}$</p> <p>$= (196)(680)$</p> <p>$= 133280 \text{ W}$</p>

QUESTION 6

6.1.2	OPTION 2:	OPTION 3:	OPTION 4:
	<p>For calculating v_s:</p> <p>$\Delta y = \left(\frac{v_i + v_f}{2} \right) \Delta t$</p> <p>$15,0 = \left(\frac{0 + v_f}{2} \right) (1,7496) \checkmark$</p> <p>$v_f = 14 \text{ m} \cdot \text{s}^{-1}$</p>	<p>$v_f^2 = v_i^2 + 2a\Delta y$</p> <p>$= (0)^2 + 2(9,8)(15,0)$</p> <p>$v_f = 14 \text{ m} \cdot \text{s}^{-1}$</p>	<p>$F_{\text{net}} \Delta t = \Delta p$</p> <p>$mg \cdot \Delta t = m(v_i - v_f)$</p> <p>$(9,8)(1,7496) = v_f - 0$</p> <p>$v_f = 14 \text{ m} \cdot \text{s}^{-1}$</p>

6.1.3 **Bullet 3:**



Frequency heard by the listener decreases.



QUESTION 7

7.1.3 $k = 9 \times 10^9$

7.1.4 **POSITIVE MARKING FROM 7.1.3**



OPTION 3:

$$\begin{aligned} w &= mg \\ &= (8 \times 10^{-2})(9,8) \\ &= 0,764 \text{ N} \end{aligned}$$

